



Instrumente für die Neurochirurgie

Instruments for Neurosurgery

Instrumentos para la neurocirugía

Instrumentes pour la neurochirurgie

Strumenti per la neurochirurgia

7\ Ubj YX'k J' n Y'89AC J9FG=CB' cZ7 58! ?5G'D8: !9Xlcf' fl hd.#k k k 'WX Ug'Vta L'
H lg'hI hcb'mUddYUfg' b' n Y'XYa e' j Yfglcb" H lg'hI hWUb' VY'fYa e j YX'k J' n Y'Z "" j Yfglcb"
7\ Ubj YX'k J' n Y'89AC J9FG=CB' cZ7 58! ?5G'D8: !9Xlcf' fl hd.#k k k 'WX Ug'Vta L'
H lg'hI hcb'mUddYUfg' b' n Y'XYa e' j Yfglcb" H lg'hI hWUb' VY'fYa e j YX'k J' n Y'Z "" j Yfglcb"
7\ Ubj YX'k J' n Y'89AC J9FG=CB' cZ7 58! ?5G'D8: !9Xlcf' fl hd.#k k k 'WX Ug'Vta L'




Mikro-Scheren mit flachen Federgriffen
 Micro Scissors with flat spring type handles
 Micro-tijeras con mangos de resortes planos
 Micro-ciseaux avec manches à ressorts plats
 Microforbici con manico a molla piatto




VANNAS
MOD. TÜBINGEN
63-1406
 8,5 cm, 3 3/8"

gerade
 straight
 recta
 droit
 retta



VANNAS
MOD. TÜBINGEN
63-1407
 8,5 cm, 3 3/8"

gebogen
 curved
 curva
 courbe
 curva



VANNAS
MOD. TÜBINGEN
63-1408
 8,5 cm, 3 3/8"

aufgewinkelt
 angled on flat
 angulada hacia arriba
 coulé en haut
 angolata verso l'alto



63-0750
 - 63-0751



► **63-0750**
 10,0 cm, 4"



► **63-0751**
 10,0 cm, 4"



NOYES
63-0720
 - 63-0722



► **63-0720**
 11,5 cm, 4 1/2"



► **63-0721**
 11,5 cm, 4 1/2"



► **63-0722**
 11,5 cm, 4 1/2"

7\ Uj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WX Ug'Vca L'
 H l g'hl hcb'mUddYUg'p'h Y'XYa e'j Yfglcb"H l g'hl hcb'mUddYUg'p'h Y'XYa e'j Yfglcb"
 7\ Uj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WX Ug'Vca L'
 H l g'hl hcb'mUddYUg'p'h Y'XYa e'j Yfglcb"H l g'hl hcb'mUddYUg'p'h Y'XYa e'j Yfglcb"
 7\ Uj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WX Ug'Vca L'

► Photo shows this instrument.

Mikro-Scheren mit flachen Federgriffen

Micro Scissors with flat spring type handles
 Micro-tijeras con mangos de resortes planos
 Micro-ciseaux avec manches à ressorts plats
 Microforbici con manico a molla piatto



05-0020
 12,0 cm, 4 3/4"

05-0020-C
 12,0 cm, 4 3/4"

gerade
 straight
 recta
 droit
 retta

05-0021
 12,0 cm, 4 3/4"

05-0021-C
 12,0 cm, 4 3/4"

gebogen
 curved
 curva
 courbe
 curve

05-0023
 12,0 cm, 4 3/4"

05-0023-C
 12,0 cm, 4 3/4"

aufgewinkelt
 angled on flat
 angulada hacia arriba
 coudé en haut
 angolate verso l'alto

VANNAS
 05-0020
 - 05-0023-C



05-0026
 16,0 cm, 6 1/4"

05-0026-C
 16,0 cm, 6 1/4"

05-0027
 16,0 cm, 6 1/4"

05-0027-C
 16,0 cm, 6 1/4"

VANNAS
 05-0026
 - 05-0027-C



05-0030
 12,5 cm, 5"

05-0030-C
 12,5 cm, 5"

05-0031
 12,5 cm, 5"

05-0031-C
 12,5 cm, 5"

05-0030
 - 05-0031-C



Venenscheren
 Vein scissors
 Tijeras para venas
 Ciseaux pour veines
 Forbici per vene

BIEMER
 05-0028 12,5 cm, 5"
 05-0028-C 12,5 cm, 5"

C = mit Keramikbeschichtung - C = with ceramic coating - C = con capa cerámica - C = avec couche en céramique - C = con superficie in ceramica

7\ Ubj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WDX Ug'Wa l"
 H lg'hI hcb mUddYUg'p'h Y'XYa e'j Yfglcb"H lg'hI hWU'vY'fYa e'j YX'k N 'h Y'Z "j Yfglcb"
 7\ Ubj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WDX Ug'Wa l"
 H lg'hI hcb mUddYUg'p'h Y'XYa e'j Yfglcb"H lg'hI hWU'vY'fYa e'j YX'k N 'h Y'Z "j Yfglcb"
 7\ Ubj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WDX Ug'Wa l"



Mikro-Scheren mit flachen Federgriffen

Micro Scissors with flat spring type handles
 Micro-tijeras con mangos de resortes planos
 Micro-ciseaux avec manches à ressorts plats
 Microforbici con manico a molla piatto



► **05-0034**
16,0 cm, 6 1/4"

05-0034-C
16,0 cm, 6 1/4"



05-0035
16,0 cm, 6 1/4"

05-0035-C
16,0 cm, 6 1/4"



05-0034
- **05-0035-C**



► **05-0038**
16,0 cm, 6 1/4"

05-0038-C
16,0 cm, 6 1/4"



05-0039
16,0 cm, 6 1/4"

05-0039-C
16,0 cm, 6 1/4"



MILLES
05-0038
- **05-0039-C**

Schneiden gezahnt
 toothed blades
 hojas dentadas
 lames dentées
 lame dentate



25-0330
18,0 cm, 7"

25-0330-C
18,0 cm, 7"



► **25-0331**
18,0 cm, 7"

25-0331-C
18,0 cm, 7"



JACOBSON
25-0330
- **25-0331-C**

C = mit Keramikbeschichtung · C = with ceramic coating · C = con capa cerámica · C = avec couche en céramique · C = con superficie in ceramica

7\ Ubl YX'k N 'h Y89AC J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl Hd.#k k k 'WX Ug'Wa L'
 H l g'h l hcb mUddYUg'p'h YXYa e'j Yfglcb"H l g'h l hcb mUddYUg'p'h YXYa e'j Yfglcb"
 7\ Ubl YX'k N 'h Y89AC J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl Hd.#k k k 'WX Ug'Wa L'
 H l g'h l hcb mUddYUg'p'h YXYa e'j Yfglcb"H l g'h l hcb mUddYUg'p'h YXYa e'j Yfglcb"
 7\ Ubl YX'k N 'h Y89AC J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl Hd.#k k k 'WX Ug'Wa L'

► Photo shows this instrument.

Mikro-Scheren mit flachen Federgriffen

Micro Scissors with flat spring type handles
 Micro-tijeras con mangos de resortes planos
 Micro-ciseaux avec manches à ressorts plats
 Microforbici con manico a molla piatto



25-0610
16,5 cm, 6 1/2"



25-0611
16,5 cm, 6 1/2"



25-0612
16,0 cm, 6 1/4"



25-0613
15,5 cm, 6"



25-0614
15,5 cm, 6"



25-0335
18,0 cm, 7"

25-0335-C
18,0 cm, 7"




25-0336
18,0 cm, 7"

25-0336-C
18,0 cm, 7"



25-0337
17,0 cm, 6 3/4"

25-0337-C
17,0 cm, 6 3/4"



25-0338
16,5 cm, 6 1/2"

25-0338-C
16,5 cm, 6 1/2"



25-0339
16,5 cm, 6 1/2"

25-0339-C
16,5 cm, 6 1/2"



25-0610
- 25-0339-C

C = mit Keramikbeschichtung - C = with ceramic coating - C = con capa cerámica - C = avec couche en céramique - C = con superficie in ceramica

7\ Ubj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WlX Ug'Wa l'
 H lg'hI hcb mUddYUg'p'h Y'XYa e'j Yfglcb"H lg'hI hWb'vYfYa c j YX'k N 'h Y'Z ""j Yfglcb"
 7\ Ubj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WlX Ug'Wa l'
 H lg'hI hcb mUddYUg'p'h Y'XYa c'j Yfglcb"H lg'hI hWb'vYfYa c j YX'k N 'h Y'Z ""j Yfglcb"
 7\ Ubj YX'k N 'h Y'89AC'J9FG=CB'cZ7 58! ?5G'D8 : !9Xlcf'fl hd.#k k k 'WlX Ug'Wa l'



Mikro-Scheren mit runden Federgriffen

Micro Scissors with round spring type handles
 Micro-tijeras con mangos de resortes redondos
 Micro-ciseaux avec manches à ressorts ronds
 Microforbici con manico a molla rotondo



► **05-0060**
 14,5 cm, 5 3/4"

05-0060-C
 14,5 cm, 5 3/4"



05-0061
 14,5 cm, 5 3/4"

05-0061-C
 14,5 cm, 5 3/4"

◄ **05-0060**
 1/2 - **05-0061-C**



05-0097 14,5 cm, 5 3/4"
 ◄ - **05-0097-W** 14,5 cm, 5 3/4"



25-0305
 - **25-0369-C**



16,5 cm, 6 1/2"	25-0305	25-0306	25-0307	25-0308	25-0309
16,5 cm, 6 1/2"	25-0305-C	25-0306-C	25-0307-C	25-0308-C	25-0309-C
18,0 cm, 7"	25-0363	25-0366 ◄	25-0367	25-0368	25-0369
18,0 cm, 7"	25-0363-C	25-0366-C	25-0367-C	25-0368-C	25-0369-C

C = mit Keramikbeschichtung · C = with ceramic coating · C = con capa cerámica · C = avec couche en céramique · C = con superficie in ceramica

7 \ Ubj YX'k N 'h Y89AC J9FG=CB cZ7 58 !?5G'D8 : !9Xlcf fl hd.#k k k 'WX Ug'Wa l"
 H l g'hl hcb mUddYUrg'p'h YXYa e'j Yfglcb"H l g'hl hcb mUddYUrg'p'h YXYa e'j Yfglcb"
 7 \ Ubj YX'k N 'h Y89AC J9FG=CB cZ7 58 !?5G'D8 : !9Xlcf fl hd.#k k k 'WX Ug'Wa l"
 H l g'hl hcb mUddYUrg'p'h YXYa e'j Yfglcb"H l g'hl hcb mUddYUrg'p'h YXYa e'j Yfglcb"
 7 \ Ubj YX'k N 'h Y89AC J9FG=CB cZ7 58 !?5G'D8 : !9Xlcf fl hd.#k k k 'WX Ug'Wa l"

► Photo shows this instrument.